

Metric

Typical Product Codes	P250RA to P500RA	P350PE to P400PE
Nominal Thickness	0.25mm to 0.50mm	0.35mm to 0.40mm
Binder	Acrylic	Polyester

	P250RA	PS350PE	Made to order Minimum	Made to order Maximum
Glass Type	C-glass	C-glass	-	-
Fibre Diameter	12-13 μ	12-13 μ	-	-
Weight	22 g/m ²	32 g/m ²	-	-
Nominal Thickness	0.25 mm	0.35 mm	0.2 mm	1.1 mm
Binder Type	Acrylic	Polyester	-	-
Binder Content	6-8%	6-8%	-	-
Styrene Monomer Solubility	Insoluble	Insoluble	-	-
Theoretical Resin Absorption	215g/m ²	305g/m ²	-	-
Standard Width	1000 mm	1000 mm	-	2.0 m
Standard Roll Length	200 m	200 m	50 m	350 m

Imperial

Typical Product Codes	P250RA to P500RA	P350PE to P400PE
Nominal Thickness	0.010 in. to 0.020 in.	0.014 in. to 0.016 in.
Binder	Acrylic	Polyester

	P250RA	PS350PE	Made to order Minimum	Made to order Maximum
Glass Type	C-glass	C-glass	-	-
Fibre Diameter	0.0005 in.	0.0005 in.	-	-
Weight	0.072 oz/ft ²	0.105 oz/ft ²	-	-
Nominal Thickness	0.010 in.	0.014 in.	0.008 in.	0.043 in.
Binder Type	Acrylic	Polyester	-	-
Binder Content	6-8%	6-8%	-	-
Styrene Monomer Solubility	Insoluble	Insoluble	-	-
Theoretical Resin Absorption	0.705 oz/ft ²	1.000 oz/ft ²	-	-
Standard Width	39 in.	39 in.	-	78 in.
Standard Roll Length	650 ft.	650 ft.	160 ft.	1150 ft.